L Number	Hits	Search Text	DB	Time stamp
-	9111	(retriev\$5 near5 (information data resource\$2)) and (request\$5	USPAT;	2002/07/16 09:49
:		same (user\$2 client\$2)) and (XML (extensible markup language\$2)) and (convert\$5 generat\$5 transform\$5	US-PGPUB; EPO; JPO;	
		transmit\$5)	DERWENT;	
	36	((retriev\$5 near5 (information data resource\$2)) and	IBM_TDB USPAT;	2003/04/07 11:40
	30	(request\$5 same (user\$2 client\$2)) and (XML (extensible	US-PGPUB;	2000/01/01 11110
		markup language\$2)) and (convert\$5 generat\$5 transform\$5	EPO; JPO;	
		transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj protocol)) and (html (hyper adj text adj markup adj	DERWENT; IBM_TDB	
		language\$2)) and (xsl stylesheet\$2)	_	
-	73	((retriev\$5 near5 (information data resource\$2)) and	USPAT;	2002/07/18 17:33
		(request\$5 same (user\$2 client\$2)) and (XML (extensible markup language\$2)) and (convert\$5 generat\$5 transform\$5	US-PGPUB; EPO; JPO;	
		transmit\$5)) and (http (hyperText adj transfer adj protocol))	DERWENT;	
		and (html (hyper adj text adj markup adj language\$2)) and (xsl	IBM_TDB	
	36	stylesheet\$2) ((retriev\$5 near5 (information data resource\$2)) and	USPAT;	2002/07/18 17:34
	30	(request\$5 same (user\$2 client\$2)) and (XML (extensible	US-PGPUB;	2002/01/10 1/101
		markup language\$2)) and (convert\$5 generat\$5 transform\$5	EPO; JPO;	
		transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj protocol)) and (html (hyper adj text adj markup adj	DERWENT; IBM TDB	
		language\$2)) and (xsl stylesheet\$2)	_	
-	37	(((retriev\$5 near5 (information data resource\$2)) and	USPAT;	2002/07/23 11:33
		(request\$5 same (user\$2 client\$2)) and (XML (extensible markup language\$2)) and (convert\$5 generat\$5 transform\$5	US-PGPUB; EPO; JPO;	
		transmit\$5)) and (http (hyperText adj transfer adj protocol))	DERWENT;	
1		and (html (hyper adj text adj markup adj language\$2)) and (xsl	IBM_TDB	
		stylesheet\$2)) Not (((retriev\$5 near5 (information data resource\$2)) and (request\$5 same (user\$2 client\$2)) and		
		(XML (extensible markup language\$2)) and (convert\$5		
		generat\$5 transform\$5 transmit\$5)) and filter\$5 and (http		
		(hyperText adj transfer adj protocol)) and (html (hyper adj text adj markup adj language\$2)) and (xsl stylesheet\$2))		
-	47	(request\$5 same (user\$2 client\$2)) and (XML (extensible	USPAT;	2002/07/23 11:33
		markup language\$2)) and (convert\$5 generat\$5 transform\$5 transmit\$5) and (http (hyperText adj transfer adj protocol))	US-PGPUB; EPO; JPO;	
		and (html (hyper adj text adj markup adj language\$2)) and (xsl	DERWENT;	
		stylesheet\$2) and filter\$5	IBM_TDB	0000107100 40 44
-	45409	(request\$5 same (identit\$5 identif\$5))	USPAT; US-PGPUB;	2002/07/22 10:14
			EPO; JPO;	
		·	DERWENT;	
	790	(parameter\$2 same identity same (client\$2 user\$2))	IBM_TDB USPAT:	2002/07/22 11:14
	,50	(Parameter de la contra del la contra del la contra del la contra de la contra de la contra del la contra de la contra del	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	29	((parameter\$2 same identity same (client\$2 user\$2))) and	USPAT;	2002/07/22 10:35
		XML	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	7038	(parameter\$2 same (identity identif\$5) same (client\$2 user\$2))	USPAT;	2002/07/22 11:16
			US-PGPUB; EPO; JPO;	
			DERWENT;	
		///naramatar\$2 same /identity identif\$5\ same /client\$2	IBM_TDB USPAT;	2002/07/23 11:23
-	5	((((parameter\$2 same (identity identif\$5) same (client\$2 user\$2))) and xml) and filter\$5) and xsl	US-PGPUB;	2002/01/23 11.23
			EPO; JPO;	
			DERWENT; IBM_TDB	
L	L		מטו_וייסוו	L

-	111	(((parameter\$2 same (identity identif\$5) same (client\$2 user\$2))) and xml) and filter\$5	USPAT; US-PGPUB;	2002/07/22 13:33
			EPO; JPO; DERWENT; IBM TDB	
-	103	(phone same (user\$2 client\$2) same (id identity)) and xml	USPAT;	2002/07/22 15:44
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	165	709/207.ccls.	USPAT	2002/07/24 08:31
-	118	((parameter\$2 same identity same (client\$2 user\$2))) and XML	USPAT; US-PGPUB;	2003/01/02 13:29
			EPO; JPO; IBM_TDB	
-	83	(((parameter\$2 same identity same (client\$2 user\$2))) and	USPAT;	2003/01/02 13:45
		XML) and (server\$2 same object\$2)	US-PGPUB; EPO; JPO;	
		(#0.40.4.4.0.0# #0.4.5.4.7.0.0# #0.4.0.5.20.4# #0.20.4.4.7.4#) ===	IBM_TDB USPAT;	2003/01/02 13:46
-	4	("6401132" "6154738" "6125391" "6301471").pn.	US-PGPUB;	2003/01/02 13:40
			EPO; JPO; IBM TDB	
-	2	(("6401132" "6154738" "6125391" "6301471").pn.) and	USPAT;	2003/01/02 13:48
		(object\$2 same server\$2)	US-PGPUB; EPO; JPO;	
_	3	(("6401132" "6154738" "6125391" "6301471").pn.) and	IBM_TDB USPAT;	2003/01/02 13:48
		(object\$2 (object\$2 same server\$2))	US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	718	((parameter\$2 same (identity identif\$5) same (client\$2 user\$2))) and xml	USPAT; US-PGPUB;	2003/04/07 09:53
		doctoby)) and Am	EPO; JPO;	
			DERWENT; IBM_TDB	
-	108	((retriev\$5 near5 (information data resource\$2)) and (request\$5 same (user\$2 client\$2)) and (XML (extensible	USPAT; US-PGPUB;	2003/04/07 11:43
		markup language\$2)) and (convert\$5 generat\$5 transform\$5	EPO; JPO;	
		transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj protocol)) and (html (hyper adj text adj markup adj	DERWENT; IBM_TDB	
_	94	language\$2)) and (xsl stylesheet\$2) (((retriev\$5 near5 (information data resource\$2)) and	USPAT;	2003/04/07 12:41
	34	(request\$5 same (user\$2 client\$2)) and (XML (extensible	US-PGPUB;	2000/01/07/72/77
		markup language\$2)) and (convert\$5 generat\$5 transform\$5 transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj	EPO; JPO; DERWENT;	
		protocol)) and (html (hyper adj text adj markup adj language\$2)) and (xsl stylesheet\$2)) and parameter\$2	IBM_TDB	
-	22935	(request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5	USPAT;	2003/04/07 12:48
		service\$2) service\$2) and (format\$4 form\$2)))	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	6633	((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5	USPAT;	2003/04/07 12:50
		service\$2) service\$2) and (format\$4 form\$2)))) and (request\$4 same parameter\$2)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	1287	(((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5	USPAT;	2003/04/07 12:50
		service\$2) service\$2) and (format\$4 form\$2)))) and (request\$4 same parameter\$2)) and (request\$4 near4	US-PGPUB; EPO; JPO;	
		object\$2)	DERWENT; IBM_TDB	
-	451	((((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5	USPAT;	2003/04/07 12:52
		service\$2) service\$2) and (format\$4 form\$2)))) and (request\$4 same parameter\$2)) and (request\$4 near4	US-PGPUB; EPO; JPO;	
		object\$2)) and (parameter\$2 same (request\$4 near5 object\$2))	DERWENT; IBM TDB	
		1 - 1 - 1 - 1 - 1	·	

-	198	((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5 service\$2) service\$2) and (format\$4 form\$2)))) and	USPAT; US-PGPUB;	2003/04/07 12:53
		(request\$4 same parameter\$2)) and (request\$4 near4	EPO; JPO;	
		object\$2)) and (parameter\$2 same (request\$4 near5	DERWENT;	
		object\$2))) and (parameter\$2 same (request\$4)	IBM_TDB	
	125	(((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3	USPAT;	2003/04/07 12:55
-	125	near5 service\$2) service\$2) and (format\$4 form\$2)))) and	US-PGPUB;	2003/04/07 12.33
		(request\$4 same parameter\$2)) and (request\$4 near4	EPO; JPO;	
		(requestat same parameter\$2)) and (requestat neart	DERWENT;	
		object\$2)) and (parameter\$2 same (request\$4 near5		
		object\$2))) and (parameter\$2 same format\$4)) and (phone	IBM_TDB	
	400	cellphone cell\$10 wireless)	LICDAT.	2002/04/07 42:57
-	103	(((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3	USPAT;	2003/04/07 12:57
		near5 service\$2) service\$2) and (format\$4 form\$2)))) and	US-PGPUB;	
		(request\$4 same parameter\$2)) and (request\$4 near4	EPO; JPO;	
		object\$2)) and (parameter\$2 same (request\$4 near5	DERWENT;	
		object\$2))) and (parameter\$2 same format\$4)) and (phone	IBM_TDB	
		cellphone (cell near4 phone\$2) cellular wireless)		
-	67	(((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3	USPAT;	2003/04/07 13:24
		near5 service\$2) service\$2) and (format\$4 form\$2)))) and	US-PGPUB;	
		(request\$4 same parameter\$2)) and (request\$4 near4	EPO; JPO;	
		object\$2)) and (parameter\$2 same (request\$4 near5	DERWENT;	
		object\$2))) and (parameter\$2 same format\$4)) and (phone	IBM TDB	
		cellphone (cell near4 phone\$2) cellular wireless)) and (html	<u>_</u>	
		xml)		
_	131	((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3	USPAT;	2003/04/07 15:47
	.0.	near5 service\$2) service\$2) and (format\$4 form\$2)))) and	US-PGPUB:	2000/01/01 10:11
		(request\$4 same parameter\$2)) and (request\$4 near4	EPO; JPO;	
		object\$2)) and (parameter\$2 same (request\$4 near5	DERWENT;	
		object\$2))) and (parameter\$2 same format\$4)) not	IBM_TDB	
		((((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3		
		near5 service\$2) service\$2) and (format\$4 form\$2)))) and		
		(request\$4 same parameter\$2)) and (request\$4 near4		
		object\$2)) and (parameter\$2 same (request\$4 near5		
		object\$2))) and (parameter\$2 same format\$4)) and (phone		
		cellphone (cell near4 phone\$2) cellular wireless)) and (html		
		xml))	_	
-	147	((set near5 parameter\$2) near10 request\$4) and ((set near4	USPAT;	2003/04/07 15:51
		parameter\$2) near10 (format\$4 type\$2))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14	(((set near5 parameter\$2) near10 request\$4) and ((set near4	USPAT;	2003/04/07 16:25
		parameter\$2) near10 (format\$4 type\$2))) and xml	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	59051	request\$4 near10 (identity type\$2 service\$2)	USPAT;	2003/04/07 16:26
	33031	TOQUESTATION TO MUCHINIY LYPOWE SCIVICEWE)	US-PGPUB;	2000/04/07 10.20
			EPO; JPO;	
			DERWENT;	
		(IBM_TDB	2002/04/07 40 00
-	2025	(request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/04/07 16:36
		((transmit\$5 send\$4 sent) near10 request\$4 near10		
		(database\$2 source\$2))		
-	508	((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/04/07 16:38
		((transmit\$5 send\$4 sent) near10 request\$4 near10		
		(database\$2 source\$2))) and (convert\$4 same (format\$4 xml))		
-	427	(((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/05/06 16:01
		((transmit\$5 send\$4 sent) near10 request\$4 near10		
		(database\$2 source\$2))) and (convert\$4 same (format\$4		
		xml))) and (protocol\$2 gateway\$2)		
-	114	((((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/05/05 16:23
	l '''	((transmit\$5 send\$4 sent) near10 request\$4 near10		
		(database\$2 source\$2))) and (convert\$4 same (format\$4		
		xml))) and (protocol\$2 gateway\$2)) and html		
	<u> </u>	Annyy and (protocoles gatewayes) and Illini		

	2	5913210.pn.	USPAT; US-PGPUB;	2003/05/03 13:36
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	119	(((((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/05/05 16:24
		((transmit\$5 send\$4 sent) near10 request\$4 near10		
		(database\$2 source\$2))) and (convert\$4 same (format\$4		
		xml))) and (protocol\$2 gateway\$2)) and html		0000005100.45.44
-	35	((((((request\$4 near10 (identity type\$2 service\$2))) and	USPAT	2003/05/06 15:44
		((transmit\$5 send\$4 sent) near10 request\$4 near10 (database\$2 source\$2))) and (convert\$4 same (format\$4		
		xml))) and (protocol\$2 gateway\$2)) and html) and xml		
_	199	(request near3 object\$4) near5 parameter\$2	USPAT;	2003/05/05 16:49
	,,,,	(request risults objects i) risults parameter v	US-PGPUB;	
İ			EPO; JPO;	
			IBM_TDB	
-	28	((request near3 object\$4) near5 parameter\$2) and xml	USPAT;	2003/05/05 16:49
			US-PGPUB;	
			EPO; JPO;	
	4	6397259.pn.	IBM_TDB USPAT	2003/05/06 15:44
	1	6397259.pn. 6397259.pn. and filter\$4	USPAT	2003/05/06 16:35
	1	6334126.pn.	USPAT	2003/05/06 15:59
1-	1	6334126.pn. and xml	USPAT	2003/05/06 16:35
-	i	(6334126.pn. and xml) and extensible	USPAT	2003/05/06 16:00
-	436	(((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/05/06 16:05
		((transmit\$5 send\$4 sent) near10 request\$4 near10		
		(database\$2 source\$2))) and (convert\$4 same (format\$4		-
	00	xml))) and (protocol\$2 gateway\$2)	LIODAT	0000/05/00 40-54
-	23	((((request\$4 near10 (identity type\$2 service\$2)) and ((transmit\$5 send\$4 sent) near10 request\$4 near10	USPAT	2003/05/06 16:54
		((database\$2 source\$2))) and (convert\$4 same (format\$4		
		xml))) and (protocol\$2 gateway\$2)) and (xsl (style near3		
		sheet\$2))		
-	1	6397259.pn. and (xml xsl)	USPAT	2003/05/06 16:35
-	1	6334126.pn. and (xml xsl)	USPAT	2003/05/06 16:36
-	0	6125391.pn	USPAT USPAT	2003/05/06 16:54 2003/05/06 16:54
-	1 1	6125391.pn. 6125391.pn. and (xml xsl (style near3 sheet\$2))	USPAT	2003/05/06 16:56
-	47	communicat\$4 and (wireless cell\$8) and (convert\$4 format\$5)	USPAT	2003/05/07 13:33
		and (xml (extensible near3 language\$2)) and (xsl (style near3		
		sheet\$2))		
-	1	6477549.pn.	USPAT	2003/05/07 11:59
-	1	6477549.pn. and (style sheet\$2 ss)	USPAT	2003/05/07 12:00
-	1	6397259.pn.	USPAT	2003/05/07 13:25
	1 1	6397259.pn. and (style sheet\$2 xsl xml ss) 6334126.pn.	USPAT USPAT	2003/05/07 13:28 2003/05/07 13:28
	1 1	6334126.pn. 6334126.pn. and (style sheet\$2 xsl xml ss)	USPAT	2003/05/07 13:28
-	682	(xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/07 13:25
		sheet\$2))	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	561	((xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/07 13:35
		sheet\$2))) and html	US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	546	(((xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/07 15:53
		sheet\$2))) and html) and (convert\$4 format\$4)	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	415	((((xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/07 13:38
		sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2	US-PGPUB; EPO; JPO;	
			IBM_TDB	
			.5100	l

-	182	(((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2	USPAT; US-PGPUB; EPO; JPO;	2003/05/07 15:52
		, ,	IBM_TDB	
-	0	((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and	USPAT; US-PGPUB;	2003/05/07 14:09
		protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and	EPO; JPO; IBM_TDB	
		(convert\$4 format\$4)) and protocol\$2)		
-	233	(((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and	USPAT; US-PGPUB;	2003/05/07 14:10
		protocol\$2) not (((((xml (extensible near4 language\$2)) same	EPO; JPO;	
		(xsl (style near4 sheet\$2))) and html) and (convert\$4	IBM_TDB	
	655	format\$4)) and protocol\$2) and gateway\$2) ((xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/07 15:54
		sheet\$2))) and (convert\$4 format\$4)	US-PGPUB;	
			EPO; JPO;	
_	470	(((xml (extensible near4 language\$2)) same (xsl (style near4	IBM_TDB USPAT;	2003/05/08 12:27
		sheet\$2))) and (convert\$4 format\$4)) and protocol\$2	US-PGPUB;	
			EPO; JPO; IBM_TDB	
_	192	((((xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/07 15:55
		sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and	US-PGPUB;	
		gateway\$2	EPO; JPO; IBM TDB	
-	10	(((((xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/07 15:55
		sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not ((((((xml (extensible near4 language\$2)) same	US-PGPUB; EPO; JPO;	
		(((((\lambda \text{xiii} (ensible flear4 (anguage\$2)) same (xsi (style near4 sheet\$2))) and html) and (convert\$4	IBM_TDB	
		format\$4)) and protocol\$2) and gateway\$2)	LICDAT	2002/05/07 16:04
-	10	((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and	USPAT; US-PGPUB;	2003/05/07 16:04
		gateway\$2) not ((((((xml (extensible near4 language\$2)) same	EPO; JPO;	
		(xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) not (((((xml	IBM_TDB	
		(((((xiii) extensible near4 language\$2)) same (xsl (style near4		
		sheet\$2))) and html) and (convert\$4 format\$4)) and		
		protocol\$2) not ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4		
		format\$4)) and protocol\$2) and gateway\$2))		2222/25/25 42 25
-	2	("6334126" "6397259").pn.	USPAT; US-PGPUB;	2003/05/07 16:05
			EPO; JPO;	
		(/ICCCC 44 CCII ICCCC 70 FCII) pp) and Filter®4	IBM_TDB	2003/05/08 08:46
-	1	(("6334126" "6397259").pn.) and filter\$4	USPAT; US-PGPUB;	2003/05/06 06:46
			EPO; JPO;	
_	2	(("6334126" "6397259").pn.) and search	IBM_TDB USPAT;	2003/05/08 15:08
		(1 0004120 0001200).ph.) and scalon	US-PGPUB;	
			EPO; JPO;	
_	2	(("6334126" "6397259").pn.) and database	IBM_TDB USPAT;	2003/05/08 11:36
		X 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	US-PGPUB;	
			EPO; JPO;	
-	2	(("6334126" "6397259").pn.) and protocol	USPAT;	2003/05/08 11:39
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	1	((("6334126" "6397259").pn.) and protocol) and gateway\$2	USPAT;	2003/05/08 12:07
			US-PGPUB; EPO; JPO;	
			IBM_TDB	

[-	1	6424979.pn.	USPAT;	2003/05/08 12:07
			US-PGPUB,	
			EPO; JPO;	
			IBM_TDB	
-	1	6424979.pn. and (xml xsl (extensible near4 language\$2) style	USPAT;	2003/05/08 12:25
		sheet\$2)	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	646		USPAT;	2003/05/08 12:27
		language\$2))) and (xsl (style near3 sheet\$2))	US-PGPUB;	
			EPO; JPO;	
1			IBM_TDB	0000/05/00 40:00
-	477	1 1111111111111111111111111111111111111	USPAT;	2003/05/08 12:28
		sheet\$2))) and (convert\$4 format\$4)) and protocol\$2	US-PGPUB;	
	†		EPO; JPO;	
	205	(//translat04 convert04 format04) come (vml (ovtonoible poor)	IBM_TDB USPAT:	2003/05/08 12:28
-	265	(((translat\$4 convert\$4 format\$4) same (xml (extensible near3 language\$2))) and (xsl (style near3 sheet\$2))) not ((((xml	US-PGPUB;	2003/03/00 12.20
		(extensible near4 language\$2)) same (xsl (style near4	EPO: JPO:	
		sheet\$2))) and (convert\$4 format\$4)) and protocol\$2)	IBM TDB	
<u>-</u>	3		USPAT;	2003/05/08 15:19
		((000 1 120 000 1200 00 1200).pri.) dila (ilinata dilata)	US-PGPUB:	
			EPO; JPO;	
			IBM TDB	